

GREENHOUSE FILM

CELLOCLIM 4S AGRONOMIC THERMAL GREENHOUSE FILM

Available in widths of 6.5m, 7.5m, 8.5m, 9.5m, 10.0m, 11.5m and 13.0m

Length can be custom cut to the size you require.

Celloclim is available in chemical resistant and anti-viral (anti-insect).

POLYANE 4D THERMAL FILM

Available in widths 7.5m and 8.5m (other sizes can be ordered on request).

Length can be custom cut to the size you require.

Polyane 4D is available in chemical resistant and anti-viral (anti-insect).

POLYANE 4TT

Available in widths of 7.5m and 8.5m (other sizes can be ordered upon request).

Length can be custom cut to the size you require.

SOLARWOVEN PLASTIC

Available in 2.05m, 2.7m and 4m widths

GREENHOUSE FLOORING MATERIALS

Black Plastic

Used for weed matting, blackout systems and as pool or dam liners.

Available in 2m, 3m, 4m and 6m widths, 100 and 200 micron, 50m and 100m rolls.

Panda Film

Black and white panda film for flooring and troughs, available in 100 and 200 micron, up to 15m wide.


Weed Mat

Black High Quality, Commercial Grade, UV Stabilised, Good water flow rates.

Some sizes available in white.


Widths 0.91, 1.83, 3.66 and 5m with GSM 100-110, length of rolls 50m and 100m.

FLOORING FIXTURES FRAME GUARD TAPE




Self adhesive protection tape stops degrading of plastic due to extreme temperatures. Available in 30mm, 40mm, 50mm, 60mm and 75mm by 30m and 50m rolls.

LOCKING SYSTEM



3 Piece aluminium base plastic inserts is the fastest method of fixing



Repair Tape



Air Transfer Pipe



Air Pipe Flanges



PRICES SUBJECT TO CHANGE AND WITHOUT NOTICE

AGRIPOLYANE MAKES TWO CONTROLLED-DEGRADATION MULCHING FILM

Advantages of mulching

- Good root development
- Advanced flowering
- Maturity is advanced

Better yield

(more information available on request)

CORNAFLEX

Cornaflex degrades under the joint action of heat and ultraviolet radiation. Over time, it loses its mechanical properties and can be composted or dug into the soil after the crop has been harvested.



- The film degradation residue does not modify soil balance and is not phytotoxic or ecotoxic.
- It reduces all costs related to recycling and recovery of used agricultural film.

Applications concern mulching for sweet corn, corn silage, melons, marrows courgettes, lettuces, pineapples and other crops.\

THERMO-FRAGMENTABLE IS ALSO BASED ON POLETHYLENE. THE ADDITIVES CAUSE DEGRADATION ON THE SURFACE AND ALSO WEAKEN THE BURIEL BANDS.

	Clear Cornaflex	Black Cornaflex
Min Thickness	12 u	12 u
Width	0.90 to 2.20	0.90 to 2.20
Durability	adapted	adapted
Advantages	Thermicity, Earliness	Herbistatic Effect
Crops	Sweetcorn, melons, water-melons, marrows, cotton	Pineapples, lettuces, broccoli

AGLEX PHOTO - CORNAFLEX SWEET CORN MULCHING



AGLEX PHOTO CORNAFLEX IS PHOTODEGRADABLE IS ON A PE BASIS, UV RAYS DEGRADE THE EXPOSED FILM, WHICH WEAKENS AND FALL INTO PIECES.

DELTATEX

Deltatex films Busy Bee and Really Red are specially formulated to optimize the transmission of the light mainly in the Ultraviolet ray and the wavelengths favourable to a good activity of the pollinating insects and to a good colouring of red salads:

Busy Bee – an optimum pollination

Really Red – an optimum colouring of red salads

The advantages of Deltatex do not harm any of the great characteristics of the films (durability, luminous transmission, thermicity, mechanical resistances).



PRICES SUBJECT TO CHANGE AND WITHOUT NOTICE

Tensioner Strap

Tension straps to support roll-up curtains.

Straps come in a 3m length with top fixing bracket and tensioner.



Fixing Components



A full range of high tensile mechanically galvanised , stainless steel, hot dipped galvanised, zinc and bolts.

Hammerhead bolts


Large range of tek screws

Curtain Winders

5:1 ratio




Curtain Clips



Curtain Rail




Purlin for Polycarb




Ridge Connection for Polycarb


Aluminium Components



Top Awning



Bottom Awning



Gutter


PRICES SUBJECT TO CHANGE AND WITHOUT NOTICE

FANS



Inflation Fan

Air Inflation Fans keep the air moving between twin skin plastic, walls and roofs giving better insulation.



Circulation Fan

Circulation fans keep good air flow through the greenhouse when roof vents are closed. Keeping a constant flow of CO₂ through the plants.

AUGERS

Screw augers are used for temporary greenhouses for quick assembly and relocating.



A complex range of components can be sourced from Australia and Overseas for all your greenhouse requirements.